

Psychosocial Module

Key

Bold Blue Highlight: Module narrative and directions - assessment level instructions/and or help

Orange: Items, responses, and other language specifically for participants 0-17 unless otherwise indicated

Green: Skip patterns

Red: Additional instructions for assessors- item level help

Purple: Section level help

Light Blue: Notes for automation and/or configuration

Denotes a shared question with another module (one way only unless otherwise indicated)

Gray Highlight: Responses/Text Boxes to pull forward to Assessment Output Yellow Highlight: Populate and/or pull forward from another section, module, and/or Support Plan

Green Highlight: Populate and/or pull forward from the member record to an assessment or from an assessment to the member record

U Denotes mandatory item

☐ Item populates forward for Reassessment

Teal Highlight: Items for Revsion and CSR- Support Plan only

Italics: Items from FASI (CARE)- for Department only

The purpose of the Psychosocial module of the Assessment process is to document whether the participant demonstrates any behaviors, emotions or symptoms affecting functioning, health and safety; and the type and amount of support needed in this context. This module also screens for potential mental health needs or behavior that may suggest the need to refer the participant for other professional assessment or supports available in the community.

Notes/Comments are present at the end of each section. These are used to:
1) Document additional information that was discussed or observed during the
assessment process and was not adequately captured. 2) Document unique
behavioral, cognitive or medical issue that were not captured in the
assessment items that may increase the need for supervision or support. This
narrative can provide additional justification in the event of a case review

Commented [SL1]: The module document is a reference for automation. If the CCM tool provides a different method to improve user efficiency (e.g. navigation, workflow, layout) this should be reviewed with the Department for optimization within the CCM platform. This document is a not intended to be automated as is.



L. BEHAVIORS, EMOTIONS, AND SYMPTOMS

This section is used to identify if the participant displays behaviors, emotions and/or symptoms. Assessors should check all the behaviors the participant demonstrates, has a history of, or those that the assessor or others have a concern. If there are no concerns, history, or presence of these behaviors, select "None". For all behaviors identified use the following guidance:

Behavior status (column 1) - should be based on what would be considered a "typical" week of behavior for the participant. Identify the status for each behavior chosen.

- Has history, no symptoms or interventions in past year, no concern about reoccurrence- Select if the participant has a history of the behavior however there is no concern about reoccurrence. The only follow-up item for this response is to briefly describe the history.
- Has history, no symptoms or intervention in past year, assessor has
 concerns about re-occurrence- Select if the participant has a history of the
 behavior and assessor has concerns about reoccurrence (e.g., because of types of
 interventions (or lack of interventions) or lack of structure in the living
 environment). The only follow-up item for this response is to briefly describe the
 history.
- Currently requires intervention and/or displays symptoms -Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions.

Behavior information (column 2) – This item will appear for all behaviors with status of "currently requires intervention and or displays symptoms"

- **Impacts functioning:** Does the behavior impact the participant's ability to function in a manner appropriate to the setting or situation?
- **Prevents from doing things:** Does the behavior prevent the participant from doing things he/she wants to do?
- **Behavior needs to be addressed in Support Plan:** Identify whether the behavior needs to be addressed in the Support Plan.
- **Behavior is intermittent and/or cyclical:** If the behavior is intermittent and/or cyclical, staff should check the box and describe how the behavior typically cycles (e.g. holidays, anniversaries, after doctor's appointments, seasonal, etc.).

Intervention type & frequency (column 3) - The type of supports and/or services that need to be provided by staff and/or caregiver and the frequency. Identify the intervention for each behavior chosen and the frequency of the intervention.

- **Cueing/Verbal prompt** Responds to simple verbal or gestural redirection
- **Physical Prompts** Responds to simple cueing using physical touch or leading
- Planned Intervention- Requires a planned intervention approach using positive reinforcement, extensive supervision, restriction of rights (all settings), or other appropriate intervention to be carried out by staff or unpaid caregivers.
- Other, describe Requires other approaches (e.g., structured environment)

Commented [SL2]: Within the CCM tool numbering for sections and questions does not need to match document, however format needs to be determined by the Department based on CCM design.



- None, and intervention needed intervention needed but is not receiving
 Frequency
 - Less than monthly to once per month- Intervention occurs once per month or less. This option may also indicate that the behavior is intermittent and/or cyclical
 - More than once per month and up to weekly- Intervention occurs twice or more per month, up to once per week
 - More than once per week and up to daily- Intervention occurs twice or more per week, up to once per day
 - **2+ times per day (at least 5 days per week)-** Intervention occurs 2 or more times per day, at least 5 days per week

Presenting behaviors (column 4) - Identify the specific ways in which the behavior presents itself.

Describe additional details regarding including presenting behaviors, interventions and historical information if applicable. (row 1/column 5)

For participants under age 4, Only show responses: "Injurious to Self", "Physically aggressive or combative", Verbally aggressive towards others, "Property destruction", "Injurious to animals", "Socially unacceptable behavior", "Verbal perseveration", "PICA", "Constant vocalization", "Other Behaviors" and "None."

1. Has the participant previously or currently required interv	entions or
present symptoms for any of the following Oshared fro	m LOC)

For individuals under the age of 18, assessors should evaluate whether the behavior is consistent with the child's chronological, NOT cognitive, age AND is problematic. Some behaviors, such as intrusiveness, may be expected in younger children but may become more socially and/or legally problematic if they are not addressed as the child ages.

Injurious to self	Legal involvement
Physically aggressive or combative	Difficulties regulating emotions
Verbally aggressive towards others	Susceptibility to victimization
Property destruction	Withdrawal
Injurious to animals	Agitation
Socially unacceptable behavior	Impulsivity
Verbal perseveration	Intrusiveness
PICA	Anxiety
Bullying others	Psychotic behaviors
Fire setting or preoccupation with fire	Manic behaviors
Refusing ADL/IADL and/or medical care	Confabulation
Wandering/elopement	Constant vocalization

Commented [SL4]: Only these responses and their applicable questions/responses are shared from the LOC

- ☐Injurious to self
- □Physically aggressive or combative □Verbally aggressive towards others
- □Property Destruction



□ Other behavior issues

□ None (Skip to Item 28-Were any Emergency Control Procedures used...)

(Add definitions to each behavior response it item 1. Reference automation spreadsheet given. Definitions are also below in column 1 following the behavior)

For Items 2-26 (table): Show "Behavior Status" (column 1) for each applicable behavior selected in Item 1

Then

Show items "Behavior Information", "Intervention Frequency", and "Presenting Behaviors", (Columns 2-4) ONLY if the response selected in Behavior Status is: "Currently requires intervention and/or displays symptoms." If these columns show, responses are mandatory.

For each "Intervention Type" selected there must be an "Intervention Frequency" selected. For example, assessor selects "Cueing" then "Intervention Frequency" for "Cueing" needs to be selected. Then assessor selects "Planned Intervention" then "Intervention Frequency" for "Planned Intervention" needs to be selected.

Show item "If necessary, describe behavior issues..." for each applicable behavior(s) selected in item 1 and is mandatory.



Behavior Status •	Behavior Information	Intervention Type & Frequency	Presenting behaviors
(Shared from LOC)	(Shared from LOC)	(Shared from LOC)	(Shared from LOC)
displays disruptive or dangerous behavioral symptoms not directed towards others, including self-injurious behaviors (e.g., hitting or scratching self, attempts to pull out IVs). Shared from LOC) Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 2A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 2A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	□ Impacts Functioning □ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None	Intervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed Frequency Less than monthly to once per month- More than once per month and up to weekly More than once per week and up to daily 2+ times per day (at least 5 days per week)	□ Chemical abuse/misuse □ Cutting self □ Bangs head □ Overeating with acute medical implications □ Pulling out hair □ Puts self in dangerous situations that causes or may cause self-harm or injury □ Self-biting □ Self-biting □ Self-burning □ Self-poking/stabbing □ Self-restricts eating □ Other □ Describe other injurious to self behaviors:
2A. Describe additional details behaviors, interventions and hi		s to self behavior(s), in	
		_	
3. Physically aggressive or combative Participant displays physical behavior symptoms directed toward others (e.g., hits, kicks, pushes, or punches others, throws objects, spitting). (Shared from LOC) • Has history, no symptoms or interventions in past year, no	☐ Impacts Functioning ☐ Prevents from doing things ☐ Behavior needs to be addressed in Support Plan	Intervention Type > Cueing > Physical Prompts > Planned intervention > Medications to manage behavior > Other	☐ Bites ☐ Hits/Punches ☐ Kicks ☐ Pulls other's hair ☐ Pushes ☐ Scratches ☐ Throws objects ☐ Unwanted touching of others ☐ Tripping

Commented [SL5]: The items in grey will pull to the output based on the automation instructions above.



concern about reoccurrence (Skip to 3A- Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 3A- Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	□ Behavior is intermittent and/or cyclical □ None	Describe other intervention: None and intervention needed Frequency Less than monthly to once per month More than once per week and up to daily 2+ times per day (at least 5 days per week) Uses objects to hurt others Describe other physically aggressive or combative behaviors: Uses objects to hurt others Describe other physically aggressive or combative behaviors: 2 times per day (at least 5 days per week)
3A Describe additional details	regarding physical	ly aggressive or combative behavior(s),
including presenting behaviors, (Shared from LOC)	interventions and	historical information if applicable:
4. Verbally aggressive towards others - Participant displays verbal behavioral symptoms directed towards others (e.g., yelling, screaming, threatening, cursing, excessive profanity, sexual references). (Shared from LOC) Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 4A- Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 4A- Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical	□ Impacts Functioning □ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None Present threat to own or other's safety? ○ No ○ Yes	Intervention Type ➤ Cueing ➤ Physical Prompts ➤ Planned intervention ➤ Medications to manage behavior ➤ Other Describe other intervention: ➤ None and intervention needed Frequency ○ Less than monthly to once per month ○ More than once per month and up to weekly Attempts to intimidate through aggressive gestures with no physical contact □ Goads/provokes □ Intimidates/stares □ Manipulates others - verbal/gestural □ Swears at others □ Taunts/teases □ Verbal Threats □ Writes threatening notes (includes electronic or other) □ Yells/screams at others □ Other Describe other verbally aggressive towards others behaviors:



intervention, medications to manage behavior and other identified interventions) 44. Describe additional details	regarding verbally	 More than once per week and up to daily 2+ times per day (at least 5 days per week) aggressive towards others behavior(s),		
		I historical information if applicable:		
(Shared from LOC)				
		Intervention Type > Cueing > Physical Prompts > Planned intervention > Medications to manage behavior > Other Describe other intervention: > None and intervention needed Frequency O Less than monthly to once per month O More than once per month and up to weekly O More than once per week and up to daily O 2+ times per day (at least 5 days per week) / destruction behavior(s), including presentin		
behaviors, interventions and historical information if applicable: (Shared from LOC)				



Participant displays, or would without intervention, behaviors that would result in the injury of an animal. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 6A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 6A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	□ Impacts Functioning □ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None	Intervention Type
		s to animals behavior(s), including presenting
behaviors, interventions and hi		
7. Socially unacceptable behavior - Participant expresses him/herself, or would without an intervention, in an inappropriate or unacceptable manner. Includes disruptive, infantile, or socially inappropriate behavior (e.g., inappropriate sexual comments or other behaviors, disrobing, smearing/ throwing food or feces) O Has history, no symptoms or interventions in past year, no concern about	☐ Impacts Functioning ☐ Prevents from doing things ☐ Behavior needs to be addressed in Support Plan ☐ Behavior is intermittent and/or cyclical ☐ None	Intervention Type ➤ Cueing ➤ Physical Prompts ➤ Planned intervention ➤ Medications to manage behavior ➤ Other Describe other intervention: ➤ None and intervention Throws food □ Throws feces □ Smears feces □ Urinates/defecates in inappropriate places



reoccurrence (Skip to 7A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 7A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)		0 0 0	requency D Less than monthly to once per month More than once per month and up to weekly More than once per week and up to daily D 2+ times per day (at least 5 days per week)	□ Exposes private body areas to others □ Inappropriately touches others □ Masturbates in public □ Unwanted touching of others □ Other □ Describe other socially unacceptable behaviors:
7A. Describe additional details	veneudina essiellu			v(a) in alredia a
presenting behaviors, intervent	tions and historical	into	rmation if applica	ble: •
- · · · · · · · · · · · · · · · · · · ·				
8. Verbal perseveration -Participant engages, or would	☐ Impacts Functioning		ntervention Type Cueing	☐ Repeats specific words ☐ Repeats words said by
without intervention, in	☐ Prevents from			
			Physical Prompts	certain individuals
continuous verbal repetition (such	doing things		Planned	☐ Scripting/repetitive
as of a word or phrase)	☐ Behavior needs		intervention	phrases
O Has history, no symptoms or	to be addressed	>	Medications to	□ Other
interventions in past year, no	in Support Plan		manage behavior	Describe other
concern about	☐ Behavior is		_	verbally
reoccurrence (Skip to 8A-	intermittent		Other	perseveration
Describe additional details)	and/or cyclical		Describe other	behaviors:
O Has history, no symptoms or	☐ None		intervention:	
intervention in past year,	Only show the			
assessor has concerns about	below responses		None and	
re-occurrence (Skip to 8A-	if "impacts		intervention	
Describe additional details)	functioning' was		needed	
O Currently requires	selected above			
intervention and/or displays	☐ Threatens	Fi	requency	
symptoms (Interventions	relationships	C	Less than	
include cueing, physical	with others.		monthly to once	
prompts, planned	□ Places		per month	
intervention, medications to	participant at		More than once	
manage behavior and other	risk of harm.			
identified interventions)	□ Threatens		per month and up	
identified interventions)	ability to remain	_	to weekly	
	in job or home.		More than once	
	□ Other		per week and up	
	Describe		to daily	
	other way		•	
	functioning is			



	impacted by	O 2+ times per day
	verbal	(at least 5 days
	perseveration:	per week)
		· · ·
		erseveration behavior(s), including presenting
behaviors, interventions and hi		
9. PICA (Ingestion of non-	☐ Impacts	Intervention Type Typically ingests:
nutritive substances) -	Functioning	➤ Cueing □ Dirt
Participant ingests, or would	☐ Prevents from	➤ Physical Prompts □Glass
without an intervention, non-food	doing things	➤ Planned □ Stones
items (e.g., liquid detergent,	☐ Behavior needs	intervention
coins, paper clips, cigarettes).	to be	➤ Medications to
O Has history, no symptoms or	addressed in	manage hehavior Urine
interventions in past year, no	Support Plan	□Feces
concern about	☐ Behavior is	➤ Other □ Wood
reoccurrence (Skip to 9A-	intermittent	Describe other Toxic substances (e.g.,
Describe additional details)	and/or cyclical ☐ None	intervention: soap, cleaning
O Has history, no symptoms or	LI None	> None and Solutions)
intervention in past year, assessor has concerns about		intervention
re-occurrence (Skip to 9A-		nooded
Describe additional details)		Describe other
O Currently requires		Frequency PICA behaviors:
intervention and/or displays		O Less than
symptoms (Interventions		monthly to once
include cueing, physical		per month
prompts, planned		O More than once
intervention, medications to		
manage behavior and other		per month and up
identified interventions)		to weekly
		O More than once
		per week and up
		to daily
		O 2+ times per day
		(at least 5 days
		per week)
9A. Describe additional details	regarding PICA be	havior(s), including presenting behaviors,
interventions and historical info		
10. Bullying Others- Using	☐ Impacts	Intervention Type ☐ Threatens others
force, threat, or coercion to	Functioning	➤ Cueing ☐ Hurts others
abuse, intimidate, or aggressively	☐ Prevents from	Physical Prompts physically
dominate others.	doing things	➤ Planned ☐ Hurts others mentally
O Has history, no symptoms or	□ Behavior needs	intervention or emotionally (e.g.,
interventions in past year, no	to be	goading, hurtful
concern about		words, name calling)



reoccurrence (Skip to 10A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 10A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	addressed in Support Plan Behavior is intermittent and/or cyclical None	 Medications to manage behavior Other Describe other intervention: None and intervention needed Frequency Less than monthly to once per month More than once per month and up to weekly More than once per week and up to daily 2+ times per day (at least 5 days per week) 	☐ Attempts to intimidate through aggressive gestures with no physical contact ☐ Taunts/teases ☐ Verbal threats ☐ Writes threatening notes (includes electronic or other) ☐ Encourages others to bully ☐ Takes others' property to taunt or coerce ☐ Other ☐ Describe other bullying others behavior(s):
10A. Describe additional detail	s regarding bullying	,	ocluding presenting
behaviors, interventions and hi			icidaling presenting
11. Fire setting or	☐ Impacts	Intervention Type	☐ Has set fires
preoccupation with fire-	Functioning	> Cueing	☐ Inappropriately plays
Participant has, or would	☐ Prevents from	Physical Prompts	with or uses fire
without intervention, set fires or	doing things	> Planned	ignitors (e.g.,
has an excessive fascination	□ Behavior needs	intervention	lighters, gas
with fire.	to be addressed		
	to be additeded	Madiantiana ta	burners, etc.)
O Has history, no symptoms or	in Support Plan	Medications to	burners, etc.) □ Excessively
O Has history, no symptoms or interventions in past year, no		Medications to manage behavior	
	in Support Plan		☐ Excessively
interventions in past year, no	in Support Plan ☐ Behavior is	manage behavior	Excessively discusses fires
interventions in past year, no concern about	in Support Plan Behavior is intermittent	manage behavior > Other	☐ Excessively discusses fires ☐ Other Describe other
interventions in past year, no concern about reoccurrence (Skip to 11A-	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other	☐ Excessively discusses fires ☐ Other
interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details)	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other	☐ Excessively discusses fires ☐ Other Describe other fire setting or
interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) O Has history, no symptoms or	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention:	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation with fire
 interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) Has history, no symptoms or intervention in past year, 	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention: None and	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation
 interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about 	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention: None and intervention	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation with fire
interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 11A-	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention: None and intervention	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation with fire
interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 11A-Describe additional details) Currently requires	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention: None and intervention needed	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation with fire
interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 11A-Describe additional details)	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention: None and intervention needed Frequency Less than	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation with fire
 interventions in past year, no concern about reoccurrence (Skip to 11A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 11A-Describe additional details) Currently requires intervention and/or displays 	in Support Plan □ Behavior is intermittent and/or cyclical	manage behavior Other Describe other intervention: None and intervention needed Frequency	☐ Excessively discusses fires ☐ Other Describe other fire setting or preoccupation with fire



prompts, planned intervention, medications to manage behavior and other identified interventions)		 More than once per month and up to weekly More than once per week and up to daily 2+ times per day (at least 5 days per week) 	
11A. Describe additional detai including presenting behaviors			
 12. Refusing ADL/IADL and/or medical care-Participant resists required assistance (e.g., resists ADL assistance or medications) Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 12A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 12A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions) 12A. Describe additional detail 	□ Impacts Functioning □ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None	Intervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed Frequency Less than monthly to once per month More than once per month and up to weekly More than once per week and up to daily 2+ times per day (at least 5 days per week)	□ Is physically combative against assistance □ Is verbally combative against assistance □ Is resistant against ADL/IADL assistance □ Is resistant to being seen by a medical professional □ Is resistant to taking medications □ Requires full sedation for medical appointments □ Requires full sedation for dental appointments □ Other □ Describe other refusing □ ADL/IADL and/or medical care behavior(s): □ □ Other □ Describe other refusing ADL/IADL and/or medical care behavior(s):

including presenting behaviors, interventions and historical information if applicable:



13. Wandering/elopement - Participant purposefully, or would without an intervention, leaves an area or group without telling others or departs from the supervising staff, caregiver, parent or other guardian unexpectedly resulting in increased vulnerability. O Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 13A- Describe additional details) O Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 13A- Describe additional details) O Currently requires intervention and/or displays	□ Impacts Functioning □ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None	 Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed Frequency Less than monthly to once per month 	□ Wanders away from staff, parent, or other guardian while in the home and/or community □ Leaves living area for extended period of time without informing appropriate person □ Runs away □ Attempts to jump out of vehicle □ Other □ Describe other wandering/elopem ent behavior(s): □ —
symptoms (Interventions		O More than once per month and up	
include cueing, physical		to weekly	
prompts, planned intervention, medications to		O More than once	
manage behavior and other		per week and up	
identified interventions)		to daily	
		2+ times per day (at least 5 days	
		per week)	
13A. Describe additional detail	s regarding wande		ior(s), including
presenting behaviors, intervent			
14. Legal Involvement-	☐ Impacts		□Assault
Participant has been engaged	Functioning	> Cueing	□Burglary
with or is at risk of being	☐ Prevents from	Physical Prompts	□Arson
engaged with law	doing things	> Planned	☐Drug related crimes
enforcement, arrested, and/or	☐ Behavior needs to be	intervention	☐Financial crimes
convicted of breaking a law or laws and has been determined	addressed in	Medications to	☐ Issues related to
to have had knowledge of	Support Plan	manage behavior	homelessness (e.g., urinating in public,
breaking laws.	□ Behavior is	> Other	camping ban violations,
O Has history, no symptoms or	intermittent	Describe other	etc.)
interventions in past year, no	and/or cyclical	intervention:	□Prostitution
concern about	□ None		☐ Public nuisance
reoccurrence (Skip to 14A- Describe additional details)			☐Sexual crimes
Describe additional details)			☐ Shoplifting



O 11 11 1			-	Name and	
O Has history, no symptoms or				None and	Terroristic threats
intervention in past year,				intervention	□Theft
assessor has concerns about re-occurrence (Skip to 14A-				needed	☐ Trespassing
Describe additional details)			Erc	equency	Other
O Currently requires				Less than	Describe other legal involvement
intervention and/or displays				monthly to once	behavior(s):
symptoms (Interventions				per month	benavior(s).
include cueing, physical			_		
prompts, planned				More than once	
intervention, medications to				per month and up	
manage behavior and other				to weekly	
identified interventions)				More than once	
				per week and up	
				to daily	
			0	2+ times per day	
				(at least 5 days	
				per week)	
14A. Describe additional details	s regarding legal ir	ivo	lve	ment behavior(s), including presenting
behaviors, interventions and hi		n i			
15. Difficulties regulating	☐ Impacts			tervention Type	□Cries
emotions - Participant has	Functioning	N		Cueing	☐ Frequently argues about
instances, or would without an	□ Prevents from			Physical Prompts	small things
intervention, of emotional	doing things			Planned	☐Impulsivity
reactions that are atypical of others in similar situations.	☐ Behavior needs to be			intervention	☐Over excitement
	addressed in			Medications to	Overzealous social
O Has history, no symptoms or interventions in past year, no	Support Plan			manage behavior	exchanges
concern about	☐ Behavior is			Other	□ Screams
reoccurrence (Skip to 15A-	intermittent			Describe other	☐Shouts angrily
Describe additional details)	and/or cyclical			intervention:	□Tantrums
O Has history, no symptoms or	□ None				☐Throws self on floor
intervention in past year,				None and	Other Describe other
assessor has concerns about				intervention	difficulties
re-occurrence (Skip to 15A-				needed	regulating
Describe additional details)				equency	emotions
O Currently requires				Less than	behavior(s):
intervention and/or displays				monthly to once	
symptoms (Interventions				per month	
include cueing, physical				More than once	
prompts, planned				per month and up	
intervention, medications to				to weekly	
manage behavior and other			O	More than once	
identified interventions)				per week and up	
				to daily	



		O 2+ times per day
		(at least 5 days
		per week)
15A Describe additional details	regarding difficul	ties regulating emotions behavior(s),
		historical information if applicable:
including presenting benaviors,	interventions and	instorical information if applicable .
16. Susceptibility to	☐ Impacts	Intervention Type Presenting Issues:
victimization - Participant	Functioning	➤ Cueing □ Attachment to strangers
engages in, or would without	□ Prevents from	➤ Physical Prompts □Lack of stranger
an intervention, behaviors that	doing things	Planned awareness
increase or could potentially	□ Behavior needs	intervention
increase the participant's level	to be	➤ Medications to ☐ Financial exploitation
of risk or harm or exploitation	addressed in	manage behavior Participant easily
by others, such as befriending	Support Plan	manipulated to their
strangers.	□ Behavior is	> Other detriment
O Has history, no symptoms or	intermittent	Describe other Physical exploitation
interventions in past year, no	and/or cyclical	intervention:
concern about	□ None	☐ Prostitution
reoccurrence (Skip to 16A-		None and Puts self in harm's way
Describe additional details)		Intervention
O Has history, no symptoms or		needed Other
intervention in past year,		Doscribo other
assessor has concerns about		Frequency susceptibility to
re-occurrence (Skip to 16A -		Less than victimization
Describe additional details)		monthly to once behavior(s):
O Currently requires		per month
intervention and/or displays		O More than once
symptoms (Interventions		per month and up
include cueing, physical		to weekly
prompts, planned		O More than once
intervention, medications to		per week and up
manage behavior and other identified interventions)		to daily
identified interventions)		O 2+ times per day
		(at least 5 days
		per week)
16A. Describe additional details	regarding suscept	tibility to victimization behavior(s), including
presenting behaviors, intervent		
17. Withdrawal - Participant	☐ Impacts	Intervention Type
has a tendency, or would	Functioning	> Cueing
without an intervention, to	☐ Prevents from	➤ Physical Prompts ☐ Lack of interest in life
retreat into or seclude oneself	doing things	> Planned events
or to avoid conversation,	☐ Behavior needs	intervention Other
interaction or activity.	to be	Describe ether:
O Has history, no symptoms or	addressed in	/ Medications to
interventions in past year, no	Support Plan	manage behavior withdrawal behavior(s):
p / / / /		Deliaviol(3):



	T					
concern about reoccurrence (Skip to 17A-		Behavior is intermittent		>	Other Describe other	
Desribe additional details)	П	and/or cyclical None			intervention:	
O Has history, no symptoms or intervention in past year,	ш	None			None and	
assessor has concerns about					intervention	
re-occurrence (Skip to 17A-					needed	
Describe additional details)						
O Currently requires				Fre	equency	
intervention and/or displays				\mathbf{O}	Less than	
symptoms (Interventions					monthly to once	
include cueing, physical					per month	
prompts, planned intervention, medications to				0	More than once	
manage behavior and other					per month and up	
identified interventions)					to weekly	
,					More than once	
					per week and up	
					to daily	
				9	2+ times per day	
					(at least 5 days per week)	
174 Describe additional details	s re	garding withdr	aw.	al ŀ	nehavior(s) inclu	dina presentina
17A. Describe additional details						ding presenting
behaviors, interventions and hi	sto	rical informatio		f ap	plicable: 0	
	sto			f ap Int		☐Easily agitated
18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or	sto	rical information Impacts Functioning Prevents from		f ap Int	oplicable: tervention Type Cueing Physical Prompts	
18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or		rical information Impacts Functioning Prevents from doing things		f ap Int	pplicable: tervention Type Cueing Physical Prompts Planned	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity
18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent.		rical information Impacts Functioning Prevents from doing things Behavior needs		f ap Int	oplicable: tervention Type Cueing Physical Prompts	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other
 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. O Has history, no symptoms or 		rical information Impacts Functioning Prevents from doing things Behavior needs to be		f ap Int > > >	tervention Type Cueing Physical Prompts Planned intervention Medications to	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other
 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. O Has history, no symptoms or interventions in past year, no 		rical information Impacts Functioning Prevents from doing things Behavior needs to be addressed in		f ap Int > > >	pplicable: tervention Type Cueing Physical Prompts Planned intervention	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. O Has history, no symptoms or interventions in past year, no concern about 	sto	rical information Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan		f ap Int	tervention Type Cueing Physical Prompts Planned intervention Medications to	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other
 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. O Has history, no symptoms or interventions in past year, no 	sto	rical information Impacts Functioning Prevents from doing things Behavior needs to be addressed in		f ap Int	cervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 behaviors, interventions and hi 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. O Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) O Has history, no symptoms or 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	tervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 behaviors, interventions and hi 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. O Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) O Has history, no symptoms or intervention in past year, 	C C C C C C C C C C	rical information Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent		f ap Int	cervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention:	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 behaviors, interventions and hi 18. Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	pplicable: tervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 18A- 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	pplicable: tervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 18A-Describe additional details) 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	pplicable: tervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 behaviors, interventions and hi Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 18A-Describe additional details) Currently requires 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	pplicable: tervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 18A-Describe additional details) Currently requires intervention and/or displays 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	cervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 behaviors, interventions and hi Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 18A-Describe additional details) Currently requires 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	poplicable: bervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation
 Agitation - Participant has a tendency, or would without an intervention, to suddenly or quickly become upset or violent. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 18A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 18A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions 	C C C C C C C C C C	Impacts Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical		f ap Int	tervention Type Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed equency Less than	☐ Easily agitated ☐ Easily angered ☐ Easily frustrated ☐ Hyperactivity ☐ Other ☐ Describe other ☐ agitation



manage behavior and other		O More than once
identified interventions)		per month and up
		to weekly
		O More than once
		per week and up
		to daily
		O 2+ times per day
		(at least 5 days
		per week)
184 Describe additional details	s regarding agitatio	on behavior(s), including presenting
behaviors, interventions and hi		
19. Impulsivity - Participant	☐ Impacts	Intervention Type Makes and acts upon
has a tendency, or would	Functioning	> Cueing sudden decisions
without an intervention, for	☐ Prevents from	➤ Physical Prompts ☐ Easily influenced by
sudden or spontaneous	doing things	> Planned environment/stimuli
decisions or actions.	☐ Behavior needs	intervention Disregards personal
O Has history, no symptoms or	to be	> Medications to safety
interventions in past year, no	addressed in	manage behavior
concern about	Support Plan	recklessly
reoccurrence (Skip to 19A-	☐ Behavior is	> Other □Other
Describe additional details)	intermittent	Describe other Describe other
O Has history, no symptoms or	and/or cyclical	intervention: impulsivity
intervention in past year,	□ None	behavior(s):
assessor has concerns about		None and
re-occurrence (Skip to 19A-		intervention
Describe additional details)		needed
O Currently requires		Frequency
intervention and/or displays		O Less than
symptoms (Interventions		monthly to once
include cueing, physical prompts, planned		per month
intervention, medications to		
manage behavior and other		O More than once
identified interventions)		per month and up
identified interventions)		to weekly
		O More than once
		per week and up
		to daily
		O 2+ times per day
		(at least 5 days
		per week)
19A. Describe additional details	s regarding impulsi	ivity behavior(s), including presenting

19A. Describe additional details regarding impulsivity behavior(s), including presenting behaviors, interventions and historical information if applicable:



☐ Impacts

Intrusiveness -

20.

Colorado LTSS Assessment Process Psychosocial Module (rev. 10-20)

Intervention Type ☐ Inappropriate

Participant has a tendency, or would without an intervention, for entering personal or private space without regard or permission. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 20A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 20A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	Functioning Prevents from doing things Behavior needs to be addressed in Support Plan Behavior is intermittent and/or cyclical None None	 Cueing Physical Prompts Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention is needed Frequency Less than monthly to once per month More than once per month and up to weekly More than once per week and up to daily 2+ times per day (at least 5 days per week)
		veness behavior(s), including presenting
behaviors, interventions and hi		
 21. Anxiety - The participant experiences feelings of anxiety (e.g., worry or tensions), often unrealistic or out of proportion to the situation. Common physical signs of anxiety include racing heart, sweating, feeling dizzy, nausea and rapid breathing. Has history, no symptoms or interventions in past year, no concern about 	□ Impacts Functioning □ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None	Intervention Type > Cueing > Physical Prompts > Planned intervention > Medications to manage behavior > Other Describe other intervention: - Medications to manage behavior Avoids people/situations Easily triggered due to past trauma Resistance to prompts Hoards objects Hyper-vigilant Unable to concentrate Phobias Panic attacks Perseveration Rocks self Other
		Page 18



reoccurrence (Skip to 21A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 21A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)		 None and intervention needed Frequency Less than monthly to once per month More than once per month and up to weekly More than once per week and up to daily 2+ times per day
		(at least 5 days per week)
		, including presenting symptoms,
interventions and historical info		
22. Psychotic Behaviors -	□ Impacts	Intervention Type ☐ Catatonic behavior
The participant experiences	Functioning	➤ Cueing □ Delusions
psychotic symptoms (such as:	☐ Prevents from	➤ Physical Prompts ☐ Disorganized speech
auditory hallucinations, visual	doing things	➤ Planned □ Auditory hallucinations
hallucinations and/or	☐ Behavior needs	intervention
delusions) that cause the	to be	➤ Medications to ☐Olfactory hallucinations
participant to have markedly	addressed in	manage behavior Saving urine or feces
inappropriate behavior that	Support Plan	➤ Other ☐ Significant paranoia
affects the participant's daily	☐ Behavior is	Describe other
functioning and social interactions. Behavior is	intermittent	intervention: Describe other
characterized by marked	and/or cyclical ☐ None	psychotic
difficulty interacting within	LI None	➤ None and behavior(s):
social norms due to an altered		intervention
perception of reality.		needed
O Has history, no symptoms or		
interventions in past year, no		Frequency
concern about		Q Less than
reoccurrence (Skip to 22A-		monthly to once
Describe additional details)		per month
O Has history, no symptoms or		O More than once
intervention in past year,		per month and up
assessor has concerns about		to weekly
re-occurrence (Skip to 22A-		to weakly
Describe additional details)		



memories about his/herself or the world, without the conscious intention to deceive. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 24A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 24A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	□ Prevents from doing things □ Behavior needs to be addressed in Support Plan □ Behavior is intermittent and/or cyclical □ None Only show the below responses if "impacts functioning' was selected above Threatens relationships with others. □ Places participant at risk of harm. □ Threatens ability to remain in job or home. □ Other way functioning is impacted by confabulation:	 Planned intervention Medications to manage behavior Other Describe other intervention: None and intervention needed Frequency Less than monthly to once per month More than once per month and up to weekly More than once per week and up to daily 2+ times per day (at least 5 days per week) 	who don't know participant well. □ Gives false impressions of their daily activities. □ Other Describe other confabulation behavior(s):	
24A. Describe additional details			cluding presenting	
behaviors, interventions and hi				
25. Constant vocalization- Participant exhibits constant vocalizations, such as screaming, crying, laughing, or verbal threats, which cause emotional distress to family caregivers. "Constant" is defined as an occurrence on average of fifteen minutes of each waking hour. O Has history, no symptoms or interventions in past year, no concern about	☐ Impacts Functioning ☐ Prevents from doing things ☐ Behavior needs to be addressed in Support Plan ☐ Behavior is intermittent and/or cyclical ☐ None	 Cueing Physical Prompts Planned intervention Medications to manage behavior Other 	□ Screaming/Shrieking □ Humming □ Swearing □ Perseveration □ Echolalia □ Crying □ Grunting □ Laughing □ Verbal Threats □ Other □ Describe other constant vocalization behavior(s):	Formatted: No bullets or numbering



Describing behaviors, interventions and historical information if applicable:	reoccurrence (Skip to 25A-Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 25A-Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to manage behavior and other identified interventions)	s regarding constan	➤ None and intervention needed Frequency	
Impacts Impa				
identified interventions) per month and up to weekly More than once per week and up to daily	 26. Other behavior issues- Identify and describe other behavior issues that were not already captured. Has history, no symptoms or interventions in past year, no concern about reoccurrence (Skip to 26A- Describe additional details) Has history, no symptoms or intervention in past year, assessor has concerns about re-occurrence (Skip to 26A- Describe additional details) Currently requires intervention and/or displays symptoms (Interventions include cueing, physical prompts, planned intervention, medications to 	☐ Impacts Functioning ☐ Prevents from doing things ☐ Behavior needs to be addressed in Support Plan ☐ Behavior is intermittent and/or cyclical	Intervention Type > Cueing > Physical Prompts > Planned intervention > Medications to manage behavior > Other Describe other intervention: > None and intervention needed Frequency O Less than monthly to once per month O More than once per month and up to weekly O More than once per week and up	



		2+ times per day (at least 5 days per week)	
		, ,	
26A. Describe additional detail interventions and historical info			presenting behaviors,
27. On average the participan least once every two hours du	ring the day AND o	n average once every	three hours at night
across all behavior and/or me with Health module: Bi-direct criteria for the Children's Extensive issues" or "Due to constant vocaliz behavior, intervention, and freque	ional) This item is to e Services (CES) waive zation," the document	help determine if participer. If "yes" is selected for ation must show descript	pant meets targeting r "Due to behavioral tions of the presenting
No (Skip to item year?)Yes	28- Were any Emerge	ncy Control Procedures ເ	used during the past
documented	in the Psychosocial nedical issues (Interven	rventions for behaviora Module) ntions for medical issues	
☐ Yes-Due to co	,	nterventions for consta Module)	nt vocalization are
28. Were any Emergency Cont Emergency Control Procedure is a in order to keep the participant re	n unanticipated use of	a restrictive procedure	
O No O Yes,			
28A. Describe type of 28B. Frequency of em 1-2 times 3-4 times 5-6 times 7 or more times	nergency control pro	ocedure:	Note: A
29. Were any Safety Control Safety Control Procedure is devineed to use restrictive procedu which is likely to occur again.	veloped when it can b	e anticipated that there	will be a



O Yes,	
29B. Frequen O Les O Moi	e type of procedure(s) used: cy of safety control procedure: s than monthly to once per month re than once per month and up to weekly re than once per week and up to daily times per day (at least 5 days per week)
30. Is there an Imposi	tion of Legal Disability (ILD) in place? 🗗
O No O Yes	
placement becaus "None" was select currently required following" AND "N requires intervent O No O Yes 32. How likely is it that escalate if HCBS s O Highly likely O Likely O Unlikely O Highly unlikely O Not sure O Not currently recei	
	igher, explain:
□ Observation	: ☐(Shared from LOC) ☐ Self-report ☐ Proxy
33. Participant expres O No O Yes OUnknown	sses feelings of loneliness?



h s s
_



2. Past behavioral and Behavioral Health Therapies (including mental health):

Professional therapies such as psychiatric care, psychotherapy, cognitive therapy, cognitive-
behavioral therapy, group therapy, etc. run by professionals with training in therapy
Formalized behavior plans designed by a behavioral analyst or psychologist but frequently
implemented by family or caregivers
Counseling services provided by a trained counselor
Applied behavioral analysis, including plans developed by professionals trained in ABA but
frequently implemented by others with specialized training in ABA
Other behavioral health (including mental health) therapies designed to address the
specialized needs of the participant
None

Show "Therapy Status" (column 1) for each if applicable therapy selected in item 1 "Current behavioral and Behavioral Health Therapies"

Then

Show "Performed by," "Caregiver Status", and "Frequency" (columns 2-4) ONLY if the response selected in "Therapy Status" (column 1) is: "Therapy needed and available" OR "Therapy needed but no longer meets participant's needs."

For "Caregiver Status" (column 3) only show if response selected in Item 1 "Current behavioral and Behavioral Health Therapies" is any of the following responses: 1) Formalized behavior plans designed by a behavioral analyst or psychologist but frequently implemented by family or caregivers, OR 2) Applied behavioral analysis, including plans developed by professionals trained in ABA but frequently implemented by others with specialized training in ABA, OR 3) Other behavioral health (including mental health) therapies designed to address the specialized needs of the participant AND if response selected in "Performed By" (column 2) is any of the following: 1) Caregiver, 2) Parent or 3) Other

If columns 2-4 show the responses are mandatory.

Show item "Briefly describe ..." for each applicable therapy selected in items 1, responses are mandatory.



Therapy Status: 0	Performed By:	Caregiver Status:	Frequency 0
 Therapy needed and available- Participant needs and is currently receiving this therapy Therapy needed but no longer meets participant's needs-Participant needs the therapy but no longer 	□ Caregiver □ Nurse □ Parent □ Self □ Relevant Mental Health Care Professional □ Other Identify person	Can an existing caregiver (excluding those provided through an agency) provide the treatment or monitoring? O Yes	 Less than monthly to once per month More than once per month and up to weekly More than once
meet's participant's needs.	who performed treatment	O No	per week and up to daily
 Therapy needed but is not being received-Participant needs the therapy but is not currently receiving. Participant refused-Participant chooses not to receive this therapy 		Identify which caregiver(s) can perform the task. If some or all caregivers cannot perform the task, describe the reasons and identify training or other supportive service that would allow the caregiver to perform the task. If the caregiver is not interested in providing the support or additional training, document this:	2+ times per day (at least 5 days per week)
Briefly describe 1) the reas and challenges related to the dates: U			
3. Notes/Comments: Psych	osocial Therapies		
2. Totas, commencer i sych	occur. merupies		



3. DEPRESSION SCREEN- ONLY SHOW FOR AGES 18 AND OLDER

1.	Does the participant, representative, and/or case manager wish to complete the
	depression screen? U
	O No (Skip to Section 5- Suicide and Homicide Screen)
	O Yes

2.	Does the participant	have an i	ntellectual	and/or	developmenta	al disability?
	O No					

- O Yes, and participant is able to meaningfully communicate thoughts, feelings, and needs, including with a support (Skip to Item 14- Glasgow IDD Participant Assessment- Have you felt sad?)
- O Yes, and participant is unable to communicate emotions, thoughts, and feelings in any meaningful way (Skip to item 34- Glasgow IDD Proxy Assessment- Has the participant appeared depressed?)

3. During the past 2 weeks, how ofte	n would you say, "I feel sad"?
O Never	O Often
O Rarely	O Always
O Sometimes	O Choose not to answer

During the past 2 weeks, how often have you been bothered by any of the following problems?	Not at all (0 to 1 Days)	Several days (2 to 6 Days)	More than half the days (7 to 11 Days)	Nearly every day (12 to 14 Days)
4. Little interest or pleasure in doing things	O_0	O_1	O ²	O_3
5. Feeling down, depressed or hopeless	O_0	O_1	O^2	O_3
6. Trouble falling or staying asleep, or sleeping too much	O_0	O^1	\mathcal{O}^2	O 3
7. Feeling tired or having little energy	O_0	O_1	O^2	O_3
8. Poor appetite or overeating	\mathcal{O}_0	O_1	O^2	O_3
 Feeling bad about yourself - or that you are a failure or have let yourself or your family down 	O_0	\mathcal{O}_1	O ²	O 3
10. Trouble concentrating on things, such as reading the newspaper or watching television	O_0	O_1	O^2	O 3
Moving or speaking so slowly that other people noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	O 0	O_1	Q ²	O ₃



12. Thoughts that you would be better off dead, or of hurting yourself in some way	O_0	\mathbf{O}_1	O ²	O_3
Total of each column				
Total Score (sum of all columns)				

13. If any problems were selected, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all	 Extremely difficult
O Somewhat difficult	O Not applicable
O Very difficult	

Once completed skip to Section 5- Suicide and Homicide Screen

Glasgow IDD Assessment Screen- Participant Assessment

I am going to ask you about how you have been feeling in the last week.	Never/No	Sometimes	Always/ A lot
14. Have you felt sad? Have you felt upset? Have you felt miserable? Have you felt depressed?	O ₀	O_1	O ²
15. Have you felt as if you are in a bad mood? Have you lost your temper? Have you felt as if you want to shout at people?	O 0	O_1	Q ²
16. Have you enjoyed the things you've done? Have you had fun? Have you enjoyed yourself?	Q ²	O ¹	O 0
17. Have you enjoyed talking to people and being with other people? Have you liked having people around you? Have you enjoyed other people's company?	Q ²	O_1	O 0
18. Have you made sure you have washed yourself, worn clean clothes, brushed your teeth, and combed your hair? Have you taken care of the way you look? Have you looked after your appearance?	O ²	O ¹	O 0
19. Have you felt tired during the day? Have you gone to sleep during the day? Have you found it hard to stay awake during the day?	O_0	O_1	O^2
20. Have you cried?	O_0	O_1	O^2
21. Have you felt you are a horrible person?	O_0	O^1	O^2

Commented [SL8]: Task will be generated to make a referral if total score is 5 or greater and/or response is "yes" to question "Thoughts that you would be better off dead, or of hurting yourself in some way"

Have you felt others don't like you?			
•			
22. Have you been able to pay attention to things like watching TV? Have you been able to concentrate on things (like TV shows)?	O ²	O_1	O_0
23. Have you found it hard to make decisions? Have you found it hard to decide what to wear or what do? Have you found it hard to choose between two things?	O 0	O ₁	O ²
24. Have you found it hard to sit still? Have you fidgeted when you are sitting down? Have you been moving around a lot like you can't help it?	O ₀	O ₁	O ²
25. Have you been eating too little or eating too much? Do people say you should eat more or less?	O 0	O ¹	O ²
26. Have you found it hard to get a good night's sleep? Have you found it hard to fall asleep at night? Have you woken up in the middle of the night and found it hard to get back to sleep? Have you woken up too early in the morning?	O ₀	O ¹	O ²
27. Have you felt that life is not worth living? Have you wished you could die? Have you felt you do not want to go on living?	O 0	O^1	O ²
28. Have you felt as if everything is your fault? Have you felt as if people blame you for things? Have you felt that things happen because of you?	O 0	O_1	\mathcal{O}^2
29. Have you felt that other people are looking at you, talking about you, or laughing at you? Have you worried about what other people think of you?	O_0	\mathbf{O}_1	\mathcal{O}^2
30. Have you become very upset if someone says you have done something wrong or you have made a mistake? Do you feel sad if someone disagrees with you or argues with you? Do you feel like crying if someone disagrees with you or argues with you?	O ₀	O_1	O ²
31. Have you felt worried? Have you felt nervous? Have you felt tense/wound up/on edge?	O 0	\mathbf{O}^1	O ²
32. Have you thought that bad things keep happening to you? Have you felt that nothing nice ever happens to you?	O 0	O_1	O ²
33. Have you felt happy when something good happened? If nothing good has happened in the last week then ask: If someone gave you a nice present would that make you happy?	Q ²	\mathcal{O}_1	O 0



Total of each column	 	
Total Score (sum of all columns)		

Commented [SL9]: Task will be generated to make a referral if total score is 13 or greater

Skip to Section 5- Homicide and Suicide Screen

Glasgow IDD Assessment Screen- Proxy Assessment

In the last week has the participant	Never/No	Sometimes	Always/ A lot
34. Appeared depressed?	O_0	O^1	O ²
35. Been more physically or verbally aggressive than usual?	O_0	O^1	O ²
36. Avoided company or social contact?	O_0	O^1	O ²
37. Looked after his/her appearance?	O^2	O^1	O_0
38. Spoken or communicated as much as he/she used to?	O ²	O_1	O_0
39. Cried?	O_0	O_1	O ²
40. Complained of headaches or other aches and pains?	O ₀	O_1	O ²
41. Still taken part in activities which used to interest him/her?	O ²	O_1	O_0
42. Appeared restless or fidgety?	O_0	O_1	O ²
43. Appeared lethargic or sluggish?	O_0	O^1	O ²
44. Eaten too little or too much?	O_0	O^1	O ²
45. Found it hard to get a good night's sleep?	O_0	O^1	O ²
46. Been sleeping during the day?	O_0	O_1	O ²
47. Said that he/she does not want to go on living?	O_0	O^1	O ²
48. Asked you for reassurance?	O_0	O^1	O ²
49. Have you noticed any change in the participant lately?	O 0	O ¹	O ²
Total of each column			
Total Score (sum of all columns)			1

Commented [SL10]: Task will be generated to make a referral if total score is 13 or greater"



14. Notes/Comments: Depression Screen and or Gla	sgow IDD S	Screen			
4. PEDIATRIC SYMPTOMS CHECKLIST- ONLY SHOW	FOR AGES	4-17			
 Have you or another caregiver ever completed a Pediatric Symptom Checklist form? No, and do not wish to complete the checklist No, but would like to complete the Checklist now Yes, describe the outcome of assessment:					
Indicate the items that best fit you/the child.	Never (0)	Sometimes (1)	Often (2)		
2. Fidgety, unable to sit still	0	0	0		
3. Feels sad, unhappy	0	0	0		
4. Daydreams too much	0	O	O		
5. Refuses to share	0	0	O		

6. Does not understand other people's feelings 7. Feels hopeless 8. Has trouble concentrating 9. Fights with other children 10. Is down on him or herself 11. Blames others for his/her troubles 12. Seems to be having less fun 13. Does not listen to rules 14. Acts as if driven by a motor 15. Teases others 16. Worries a lot 17. Takes things that do not belong to him/her

18. Distracted easily

Total of each column

Total Score (sum of all columns):

2.	Notes/Comments- Pediatric Symptom Checklist:

Commented [SL11]: Task will be generated to make a referral if total score is 15 or greater"



O No

2.

3.

4.

5.

6.

Colorado LTSS Assessment Process Psychosocial Module (rev. 10-20)

5. SUICIDE & HOMICIDE SCREEN

1. In the past few weeks, have you wished you were dead?

This is a voluntary screen that can be used with participants, including younger participants as appropriate, to identify a risk of suicide. This section is recommended to be completed with participants ages 10 and older. However, if a participant is younger than age 10 and scored 15 or greater on the Pediatric Symptom Checklist or expresses depressive symptoms, it is recommended this section be complete.

If participant triggered positively on the Depression Screen, Glasgow Participant or Proxy Depression Screen, or Pediatric Symptom Checklist this section is highly recommended.

O Yes	
O Choose not to answer - try to establish why the participant refuses to answer, and if necess contact a mental health professional immediately	ary
In the past few weeks, have you felt that you or your family would be better off if y	ΛIJ
were dead?	Uu
Q No	
Q Yes	
O Choose not to answer	
In the past week, have you been having thoughts about killing yourself?	
O No (Skip to Item 5- Ever tried to kill yourself)	
O Yes	
O Choose not to answer	
Are you having thoughts of killing yourself right now?	
O No	
O Yes	
O Choose not to answer	
Have you ever tried to kill yourself?	
Q No	
O Yes	
How:	
When:	
O Choose not to answer	
In the past week, have you been having thoughts about hurting or killing someone	
else?	
O No (Skip to Notes/Comments- Suicide & Homicide Screen)	
O Yes	



	O Choose not to answer
7.	Are you having thoughts about hurting or killing someone else right now? O No O Yes O Choose not to answer
8.	Notes/Comments: Suicide & Homicide Screen
6.	SUBSTANCE AND TOBACCO USE AND GAMBLING- ONLY SHOW FOR AGES 5 AND OLDER
Su	bstance Use
1.	Is there a concern about abuse of substances, including marijuana or alcohol? O No history and no concern about this behavior (Skip to item 5- Smoke/Use Tobacco) O Has history, no symptoms or interventions in past year, no concern about reoccurrence: Describe history: O Has history, no symptoms or intervention in past year, assessor has concerns about reoccurrence: Describe history and concerns: O Current abuse O Choose not to answer (Skip to item 4- Referral Requested/Needed)
2.	Which types of substances? Check all that apply. Alcohol Marijuana Prescription medications Other substances
	2a. Describe use/abuse of substances:
3.	There has been an attempt to manage the substance abuse in the past: O No O Yes,
	Describe methods to manage the substance abuse and whether they were successful:
	O Choose not to answer

Commented [SL12]: Task will be generated if participant answered "Yes" to any of the Suicide Screen & Homicide screen questions for case manager to contact supervisor or provide a referral based on agency's crisis policy.

Outcomes of the contact should be documented as a log note/case note in the Member record.



1. Is a referral requested/needed for substance abuse?
O No O Yes,
Identify referral requested/needed for substance abuse:
identity referral requested/freeded for substance abase.
TOBACCO USE
5. Do you currently smoke or use any form of tobacco?
O No (Skip to Item 10- Gambling)
O Yes
O Choose not to answer (Skip to Item 10- Gambling)
5. Have you thought about cutting back on or quitting your tobacco usage?
O No plans to reduce usage
O Plans to reduce usage
O Choose not to answer
7. Are there any safety concerns related to your tobacco use?
☐ Drops cigarettes/ashes ☐ Direction from physician to quit/cut back
☐ Falls asleep when smoking
☐ Smokes when using oxygen
☐ Smokes in bed
☐ Refuses ashtray
□ Other
Describe safety concerns related to tobacco use:
□ None
B. Is a referral requested/needed for tobacco use?
ONo
OYes,
Identify referral requested/needed for tobacco use:
GAMBLING (Only show for ages 10 and older)
O. Have you ever felt the need to bet more and more money when gambling?
O No
O Yes
O Choose not to answer
L1. Have you ever had to lie to people important to you about how much you gambled?
O No
O Yes
O Choose not to answer

Commented [SL13]: Task will be generated to make a referral if gambling treatment counselor or other gambling resource if "yes" to one or both of these items is selected.



12.Notes/Comments: Substance and Tobacco Use & Gambling

